Tumor Test Requisition Form - Page 1 of 3



COMPLETE ENTIRE FORM AND SUBMIT CLINIC NOTES/PEDIGREE TO AVOID DELAYS

Aliso Viejo, CA 92656 USA Toll Free: 866.262.7943 | Fax: 949.900.5501 | ambrygen.com

PATIENT INFORMATION							
Name (Last, First, MI)			Date of Birth (MM/DD/YY)	Date of Death (If a	applicable) Phone Numb	er/Email	
						·	
Address	City State	Zip	Piological Cov	[[[]]] [] [] [] [] [] [] []		Asian DC-warrian DHistoria	
/ tdd/ess	City	216	Biological Sex □ F □ M		kenazi) □Portugu	Asian □Caucasian □Hispanic	
SPECIMEN INFORMATION				Diewisii (/ tsii	ikenazi) 🔲 i ortugu	ese 🖂 Other.	
(Both normal sample (e.g. blood or sa	aliva) and tumor tissue required	d. Please see specim	nen preparation instruction sheet	t for detailed spe	cimen requirements.)	
Blood/saliva Collection Date:		Specimen ID #:			otomy Services Reque		
				□Phle	ebotomy draw	Insurance preverification first	
	Tissue: Green Block Unstained slides (9) Specimen ID #: Send kit to patient						
Collection Date/Date Pulled From Archive:Collection Time:AM/PM Archived specimen?							
Fixative/preservative:				compli I under	cation or difficulty in d stand that the phlebot	rawing blood for the listed patient(s).	
Primary (if metastasis):		Permission to exhau	st FFPE block? ☐ Yes ☐ No	to drav	v any patient if the saf t(s) are in question.	ety of the phlebotomist and/or	
Patient discharge date (if within past 3					<u> </u>		
PATHOLOGY INFORMATION							
Pathology report for relevant tumor tiss	ue specimen is REQUIRED for prod	cessing. Please include	e a copy when order is submitted. 1	Tumor specimen w	ill be returned unless o	therwise indicated.	
Institution Name		Pa	athologist		Phone	Fax	
Address		C	City		State	Zip	
ORDERING LICENSED PROVI	IDER/SENDING FACILITY	V					
Facility Name (Facility Code)	Address	•	City	State /	Country Zip	Phone	
racinty Hame (racinty code)	ridaress		City	State	country Zip	THORE	
Ordering Licensed Provider Name (La	est First)(Code) Ni	PI#	Phone	Fax/Email			
Ordering Licensed Frovider Name (La	ist, riist/(Code)	1 1#	THORE	Tax/ Lillali			
ADDITIONAL RESULTS RECI		4-1	Dhana (Fau (Farail				
Genetic Counselor or Other Medical	Provider Name (Last, First) (Coo	de)	Phone/Fax/Email				
	F: 1) (C 1)		DI (F (F)				
Other Medical Provider Name (Last,	rirst) (Code)		Phone/Fax/Email				
CONFIRMATION OF INFORME							
The undersigned person (or represen consent. I confirm that testing is med							
genetic counseling services by a third					er (unless this box is	checked □). Furthermore, all	
information on this TRF is true to the best of my knowledge. My signature applies to the attached letter of medical necessity.							
Signature Required for Processing Medical Professional Signature: Date:							
■ INSURANCE BILLING (Inclu	do sony of both sides of insured	neo caud)		□ INSTI	TUTIONAL BILL	ING	
Patient Relation to Policy Holder?	Name and DOB of	nce card)		Facility Na		d invoice to facility address above	
Self Spouse Child	Policy Holder (if not self)			rucinty ru	e	a mitorice to facility dual ess above	
Insurance	Policy #	НМС		Address			
Company		Auth	#				
Out Of Pocket: We will start testing immediately, un	less you check the how helow. V	Ve will attempt to co	ontact you if your estimated out-	Contact N	ame		
pocket costs are > USD \$100.	ess you check the box below. V	ve will attempt to co	ontact you'll your estimated out t			T ==	
☐ Do not start testing until I approve	payment terms regarding esting	mated out-of-pocket	costs	Phone Nur	nber	E-mail/Fax	
Patient agrees to contact regarding o							
					NT PAYMENT	Check (Payable to Ambry Genetics)	
Special Billing Notes: Credit Card (Call 949-900-5795 Patient Acknowledgement: I acknowledge that the information provided by me is true and correct. For direct insurance billing: I authorize my insurance benefits to be paid directly to Ambry Genetics Corporation							
(Ambry), authorize Ambry to release medical information concerning my testing to my insurer, to be my designated representative for purposes of appealing any denial of benefits as needed and to request additional							
medical records for this purpose. I understand that I am financially responsible for any amounts not covered by my insurer and responsible for sending Ambry money received from my health insurance company. For patient payment by credit card: I hereby authorize Ambry Genetics Corporation to bill my credit card as indicated above. In order to expedite consideration for eligibility for Ambry's Patient Assistance Program,							
please provide the total annual gross household income: \$ and the number of family members in the household supported by the listed income: I authorize Ambry Genetics Corporation to							
verify the above information for the sole purpose of assessing financial need, including the right to seek supporting documentation.							
FOR NY RESIDENTS: I am a New York resident and I give Ambry Genetics permission to store my sample for longer than 60 days. NOTE: If left blank, consent is interpreted as "NO".							
Signature Required For Insurance/S	Self-Pay Patients and NY Sam	ple Storage Consen	nt:			Date:	



Patient Name:	DOB:	
i attent rianic	 DOD.	

Aliso Viejo, CA 92656 USA | Toll Free: 866.262.7943 | Fax: 949.900.5501 | ambrygen.com

Tumor Test Requisition Form - Page 2 of 3

PLEASE SUBMIT THE FOLLOWING WITH THE TRF:

Tumor Tes	ı Kequi	311101111	Jiiii - i age 2 0	13		1. Clinic	Notes	2. Pedigree	3. Insura	ance Card
PATIENT CLINICAL HISTORY (Please indicate if diagnosis is active)										
☐ No personal his	tory of cance	r 🗌 History	ory of allogenic bone marrow or peripheral stem cell transplant* ICD-10 code(s):							
Cancer/Tumor	Active	Age at Dx	Pathology and Other Info							
Breast			Type: ER □ (+) □ (-) □ unk PR □ (+) □ (-) □ unk HER2/neu □ (+) □ (-) □ unk						-) 🗌 unk	
Colorectal			Location:							
Uterine										
Ovarian			☐ Fallopian tube ☐ Primary peritoneal							
Prostate			Gleason Score: Metastatic: 🔲 Y						□N	
Other Cancer			Type:							
Other clinical histo	ory:									
			t hematological disease will ee ambrygen.com for details		ional review and may not	be accepted in	n some case	s. For these, cu	ltured fibrob	plasts or
PATIENT GENE			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Lv	nch syndrom	e tests only	/:		
☐ No previous mo	lecular and/o	or genetic test	ing					oleted for Med	dicare bene	ficiaries
_	•				Microsatellite instabili ☐ Stable (MSS) ☐		;h (MSI-H)	☐ Unstable,	/low (MSI-	·L)
Result(s):					IHC, if multiple primar	ies, tumor us	ed:			
Please include cop	oies of any pro	evious genetic	test results.		☐ Proteins present:		_ 🗌 Prote	ins absent:		
					☐ Tissue is unavailabl	e or insufficie	ent for IHC	/MSI testing		
FAMILY HISTOR	RY*									
*Completing this section	on is not manda	tory for ordering	if a pedigree and/or clinical note	with family his	tory is supplied, but is recomn	nended and help	s with results	interpretation ar	nd claims filing	g.
☐ None (maternal	l) None ((paternal)	Maternal history unknow	n 🗌 Patern	al history unknown					
Relation to patient	t Mater	nal Paternal	Cancer/Polyp Type	Dx age	Relation to patient	Maternal	Paternal	Cancer/Poly	ур Туре	Dx age
TESTS REQUES	STED									
Check to order	STED Test Name			Test Cod	•					
Check to order Both normal sample	Test Name (e.g. blood or s	caliva) and tumo	r tissue are required. Please se	e specimen pr	eparation instruction sheet f	or more detaile	ed specimen		PMS2 + FPA	CAM del/dun
Both normal sample	Test Name (e.g. blood or s Lynch syndro	caliva) and tumo	·	e specimen pro	•	or more detaile	ed specimen	MSH2, MSH6,		
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-	caliva) and tume ome paired tes	ting*	8982 8980	Paired tumor and g Paired tumor and microsatellite insta	or more details	ed specimen on of MLH1, sing of MLH and MLH1 p	MSH2, MSH6, 1, MSH2, MSH romoter hyper	6, PMS2, ar	nd <i>EPCAM</i> ; n analysis
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-	aliva) and tumo	ting* DNext*	8982 8980 8981	Paired tumor and g Paired tumor and microsatellite insta	or more detailed ermline testing germline test ability (MSI) at (described ab	ed specimen ng of MLH1, ting of MLH1 pand MLH1 p	MSH2, MSH6, 1, MSH2, MSH romoter hyper ermline analys	6, PMS2, ar methylation sis of 12 add	nd <i>EPCAM</i> ; n analysis ditional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext- TumorNext-L	aliva) and tumo ome paired tes Lynch * Lynch plus Colo	ting* DNext* Next*	8982 8980 8981 8983	Paired tumor and g Paired tumor and microsatellite insta TumorNext-Lynch TumorNext-Lynch	or more detailse ermline testingermline testibility (MSI) as (described ab	ed specimen ng of MLH1, cing of MLH1 pand MLH1 povee) plus g	MSH2, MSH6, in MSH2, MSH romoter hyper ermline analysermline analysermline analys	6, PMS2, ar methylation sis of 12 add is of 20 add	nd <i>EPCAM</i> ; n analysis ditional genes ditional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext- TumorNext- TumorNext- TumorNext- TumorNext-	adiva) and tumo	ting* DNext* Next* cerNext*	8982 8980 8981 8983 8984	Paired tumor and g Paired tumor and microsatellite insta TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch	or more detailse ermline testingermline testibility (MSI) a (described ab (described a	ed specimen ng of MLH1, cing of MLH1 pand MLH1 povee) plus g	MSH2, MSH6, in MSH2, MSH romoter hyper ermline analysermline analysermline analys	6, PMS2, ar methylation sis of 12 add is of 20 add	nd <i>EPCAM</i> ; n analysis ditional genes ditional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-L TumorNext-L TumorNext-L TumorNext-L Add on BRAF (aliva) and tumo ome paired tes Lynch * Lynch plus Colo Lynch plus Ova Lynch plus Can V600E), KRAS,	ting* DNext* Next* cerNext* and NRAS targeted analysis (T	8982 8980 8981 8983 8984 8984	Paired tumor and g Paired tumor and microsatellite insta TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch	or more detailse ermline testingermline testibility (MSI) a (described ab (described a	ed specimen ng of MLH1, cing of MLH1 pand MLH1 povee) plus g	MSH2, MSH6, in MSH2, MSH romoter hyper ermline analysermline analysermline analys	6, PMS2, ar methylation sis of 12 add is of 20 add	nd <i>EPCAM</i> ; n analysis ditional genes ditional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-L TumorNext-L TumorNext-L TumorNext-L Add on BRAF (Microsatellit	aliva) and tumo ome paired tes Lynch * Lynch plus Colo Lynch plus Ova Lynch plus Can V600E), KRAS, e instability (N	ting* DNext* Next* cerNext*	8982 8980 8981 8983 8984	Paired tumor and g Paired tumor and microsatellite insta TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch	or more detailse ermline testingermline testibility (MSI) a (described ab (described a	ed specimen ng of MLH1, cing of MLH1 pand MLH1 povee) plus g	MSH2, MSH6, in MSH2, MSH romoter hyper ermline analysermline analysermline analys	6, PMS2, ar methylation sis of 12 add is of 20 add	nd <i>EPCAM</i> ; n analysis ditional genes ditional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-L TumorNext-L TumorNext-L Add on BRAF (Microsatellit MLH1 promo	adiva) and tumo ome paired tes Lynch * Lynch plus Colo Lynch plus Ova Lynch plus Can V600E), KRAS, e instability (Meter hypermeth	ting* DNext* Next* cerNext* and NRAS targeted analysis (T	e specimen pri 8982 8980 8981 8983 8984 his can only be	Paired tumor and g Paired tumor and microsatellite insta TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch	or more detailse ermline testingermline testibility (MSI) a (described ab (described a	ed specimen ng of MLH1, cing of MLH1 pand MLH1 povee) plus g	MSH2, MSH6, in MSH2, MSH romoter hyper ermline analysermline analysermline analys	6, PMS2, ar methylation sis of 12 add is of 20 add	nd <i>EPCAM</i> ; n analysis ditional genes ditional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-L TumorNext-L TumorNext-L Add on BRAF (Microsatellit MLH1 promo	adiva) and tumo ome paired tes Lynch * Lynch plus Colo Lynch plus Can V600E), KRAS, e instability (Noter hypermetheted. Visit ambrys	ting* DNext* Next* cerNext* and NRAS targeted analysis (T MSI) analysis*, ** ylation analysis*	e specimen pri 8982 8980 8981 8983 8984 his can only be	Paired tumor and g Paired tumor and microsatellite insta TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch	or more details ermline testing germline test bility (MSI) a (described ab (described ab	ed specimen ng of MLH1, cing of MLH and MLH1 p poove) plus g pove) plus g	MSH2, MSH6, 1, MSH2, MSH romoter hyper ermline analys ermline analys ermline analys	6, PMS2, ar methylation sis of 12 add is of 20 add	nd <i>EPCAM</i> ; n analysis ditional genes ditional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-L TumorNext-L TumorNext-L Add on BRAF (Microsatellit MLH1 promo ors will be accep	aliva) and tumo ome paired tes Lynch * Lynch plus Colo Lynch plus Can V600E), KRAS, e instability (N ter hypermeth oted. Visit ambryo	ting* DNext* Next* cerNext* and NRAS targeted analysis (T MSI) analysis*, ** ylation analysis*	e specimen pri 8982 8980 8981 8983 8984 his can only be 8702 7978	Paired tumor and g Paired tumor and g Paired tumor and microsatellite inst: TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch applied to test options above.	or more details ermline testir germline testir germline described ab (described ab (described ab	ed specimen ng of MLH1, cing of MLH poove) plus g sove) plus g sove) plus g sove) plus g sove) plus g	MSH2, MSH6, 1, MSH2, MSH romoter hyper ermline analys ermline analys ermline analys and BRCA2	6, PMS2, ar methylation is of 12 add is of 20 add sis of 29 add	nd EPCAM; n analysis ditional genes ditional genes ditional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-I TumorNext-I TumorNext-I Add on BRAF (Microsatellit MLH1 promo ors will be accep TumorNext-I	aliva) and tumo ome paired tes Lynch * Lynch plus Colo Lynch plus Can V600E), KRAS, e instability (N ter hypermeth oted. Visit ambryo	ting* DNext* Next* cerNext* and NRAS targeted analysis (T ASI) analysis*, ** lylation analysis* gen.com for more details.	e specimen pri 8982 8980 8981 8983 8984 his can only be 8702 7978	Paired tumor and g Paired tumor and g Paired tumor and microsatellite insta TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch applied to test options above Paired tumor and g Paired tumor and g	or more detailed ermline testing germline testing germline described ab (described ab (described ab described	ed specimen ng of MLH1, cing of MLH1 pove) plus grove) prove) prove grove) prove gr	MSH2, MSH6, 1, MSH2, MSH romoter hyper ermline analysermline analysermli	6, PMS2, ar methylation sis of 12 add is of 20 add sis of 29 add	nd EPCAM; n analysis ditional genes ditional genes ditional genes tional genes;
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-L TumorNext-L TumorNext-L Add on BRAF (Microsatellit MLH1 promo ors will be accep TumorNext-L TumorNext-L	aliva) and tumo ome paired tes Lynch * Lynch plus Colo Lynch plus Ova Lynch plus Can V600E), KRAS, e instability (N ter hypermeth oted. Visit ambrys BRCA**	ting* DNext* Next* cerNext* and NRAS targeted analysis (T ASI) analysis*, ** ylation analysis* pen.com for more details.	e specimen pri 8982 8980 8981 8983 8984 his can only be 8702 7978 9810 9811	Paired tumor and g Paired tumor and g Paired tumor and microsatellite insta TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch applied to test options above Paired tumor and g Paired tumor and g methylation analy	or more detailed ermline testing germline testing germline testing described about the control of the control o	ed specimen ng of MLH1, ting of MLH and MLH1 p pove) plus g pove) plus ge	MSH2, MSH6, MSH2, MSH2, MSH2, MSH2, MSH2, MSH2, MSH2 ermline analystermline analysterm	6, PMS2, ar methylation sis of 12 add is of 20 add sis of 29 add plus 9 addit s of 14 addi	nd EPCAM; n analysis ditional genes ditional genes ditional genes tional genes; itional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-L TumorNext-L TumorNext-L Add on BRAF (Microsatellit MLH1 promo ors will be accep TumorNext-E TumorNext-F TumorNext-F TumorNext-F	aliva) and tumo ome paired tes Lynch * Lynch plus Colo Lynch plus Can Lynch tumbe and prima	ting* DNext* Next* cerNext* and NRAS targeted analysis (This is a second for more details. Next* pen.com for more details. Next** terNext** y peritoneal) will be accepted. For	e specimen pro 8982 8980 8981 8983 8984 his can only be 8702 7978 9810 9811 9812 9813 or other cancer	Paired tumor and generation instruction sheet for Paired tumor and generation instruction sheet for Paired tumor and generation instructions. TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch applied to test options above. Paired tumor and generation analyst tumorNext-HRD (TumorNext-HRD (types, please discuss with you	or more detaile ermline testing germline testing germline described ab (described ab (ed specimen ng of MLH1, cing of MLH2 prove) plus go	MSH2, MSH6, 1, MSH2, MSH romoter hyper ermline analysermline analysermline analysermline analysermline analysermline analysiermline analysier	6, PMS2, ar methylation sis of 12 add is of 20 add sis of 29 add plus 9 addit s of 14 addi s of 23 add	nd EPCAM; n analysis ditional genes ditional genes ditional genes tional genes; itional genes
Check to order Both normal sample	Test Name (e.g. blood or s Lynch syndro TumorNext-L TumorNext-L TumorNext-L Add on BRAF (Microsatellit MLH1 promo ors will be accep TumorNext-E TumorNext-F TumorNext-F TumorNext-F	aliva) and tumo ome paired tes Lynch * Lynch plus Colo Lynch plus Can Lynch tumbe and prima	ting* DNext* Next* cerNext* and NRAS targeted analysis (T MSI) analysis*, ** ylation analysis* gen.com for more details. Next**	e specimen pro 8982 8980 8981 8983 8984 his can only be 8702 7978 9810 9811 9812 9813 or other cancer	Paired tumor and g Paired tumor and g Paired tumor and g Paired tumor and microsatellite inst: TumorNext-Lynch TumorNext-Lynch TumorNext-Lynch applied to test options above Paired tumor and g Paired tumor and g methylation analy: TumorNext-HRD (TumorNext-HRD (or more detaile ermline testing germline testing germline described ab (described ab (ed specimen ng of MLH1, cing of MLH2 prove) plus go	MSH2, MSH6, 1, MSH2, MSH romoter hyper ermline analysermline analysermline analysermline analysermline analysermline analysiermline analysier	6, PMS2, ar methylation sis of 12 add is of 20 add sis of 29 add plus 9 addit s of 14 addi s of 23 add	nd EPCAM; n analysis ditional genes ditional genes ditional genes tional genes; itional genes



Aliso Viejo, CA 92656 USA | Toll Free: 866.262.7943 | Fax: 949.900.5501 | ambrygen.com

Tumor Specimen Forward Request - Page 3 of 3

Form is not required for processing, however, to streamline obtaining your patient's tumor specimen from Pathology, please submit this form with a copy of the completed Tumor Test Requisition Form (TRF). Otherwise, additional paperwork may be required to obtain tumor. If you would like to facilitate the submission of your patient's tumor from Pathology to Ambry, please submit this form with a copy of the TRF directly to relevant Pathology department.

l,	am requesting that the tissue sample for					
(ordering medical professional name)						
	,DOB:	be sent to Ambry Genetics for	testing			
(patient name)						
		Date:				
(ordering medical professional signatu	ıre)					
Pathology Information						
Institution Name						
Address		Phone				
□ Once testing is complete, return spe	ecimen to Pathology at a	ddress above				
☐ Once testing is complete, return sp	ecimen to other locatior	n, please specify:				
Institution Name						
Address		Phone				

Specimens can be submitted as either:

- 1. Formalin fixed paraffin embedded (FFPE) tumor tissue block (preferred) or
- 2. Nine (9) unstained slides mounted with FFPE tissue sections cut at 10 micron thickness, unbaked and one (1) unstained slide with FFPE tissue sections cut at 5 micron thickness, unbaked

NOTE

- Tumor block from resection/excision specimen is preferred. Please note that small size tissue samples with tumor area <25 mm² (core biopsy specimens, colonoscopic or other endoscopic biopsy specimens), hypocellular, fibrotic, fatty, necrotic samples or samples with lower tumor cell content (<20% viable tumor cellularity) may not yield enough DNA for analysis and may require additional unstained slides. Moreover, submission of these sample types may result in requests for permission to exhaust the block or an alternate tumor tissue block to obtain sufficient DNA for testing. When choosing a block for submission, please select one with the largest tumor focus or highest tumor cellularity.
- Nucleated cells cellularity: at least 80%
- Tumor content /neoplastic cellularity: Viable tumor cell nuclei should constitute at least 20% of total number of all nucleated cells.

Acceptable Tumor types:

- TumorNext-*Lynch*: Lynch syndrome tumors are accepted. A tumor block on which previously run DNA mismatch repair protein immunohistochemistry studies is preferred for TumorNext-*Lynch* testing.
- TumorNext-BRCA and HRD: Currently only ovarian cancers (including Fallopian tube and primary peritoneal) are accepted
- For other cancer types, please discuss with your Ambry Account Manager

Unacceptable specimens:

- Less than 20% viable tumor cellularity
- Specimens fixed/processed in alternative fixatives other than 10% neutral buffered formalin (e.g. Bouins, Zenker's, B5, or heavy metal fixatives)
- Decalcified specimens

Please include a copy of Pathology report, this form, and the Ambry Tumor TRF along with the specimen. Specimens received must have at least two patient identifiers in order to avoid discrepancies. During hot weather, it is advisable to include a cooling pack with the specimen when shipping to avoid heat damage.

For additional details regarding specimen preparation or shipping, please see the attached Specimen Preparation and Shipment Instructions.

Specimens may be shipped in an Ambry specimen submission kit. These are available to order at ambrygen.com/order-sample-kit at no cost.

Please ship the specimen overnight to: Accessioning at Ambry Genetics, 7 Argonaut, Aliso Viejo, CA 92656 USA